

FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5

FIG. 6A




FIG. 6B





FIG. 6C






FIG. 7




FIG. 8




FIG. 9

FIG. 10A




FIG. 10B





FIG. 10C






FIG. 11




FIG. 12




FIG. 13

FIG. 14A




FIG. 14B





FIG. 14C






FIG. 17




FIG. 17

FIG. 18A




FIG. 18B





FIG. 18C






FIG. 19




FIG. 20




FIG. 21

FIG. 22

FIG. 22 is a cross-sectional view of a circular device, likely a ring or collar, showing internal components and structural details. The device is divided into four quadrants by a vertical and horizontal center line. Key components are labeled with reference numerals: 106 at the top center, 67 at the top right, 101 at the top right inner edge, 102 at the top right outer edge, 105 at the top right bottom edge, 66 at the bottom right, 23 at the bottom right corner, 24 at the bottom right corner, 104 at the bottom center, 103 at the bottom left, and 23 at the bottom left corner. The device appears to have a multi-layered structure with various internal elements and a central opening.




FIG. 24





FIG. 25




FIG. 26




FIG. 27

FIG. 28




FIG. 29




FIG. 30




FIG. 31




FIG. 32




FIG. 33




FIG. 34




FIG. 35